



Roller Garage Door

   /indupart  /company/indupart-ltd

0161 432 6655 | sales@indupart.co.uk | www.indupart.co.uk

Northern Sales, Distribution Centre & Production Warehouse
The Door Centre, Discovery Park, Crossley Road, Stockport, SK4 5BW



Raising Standards
Safety Assured




Recent survey results show that security is the most important factor when buying a garage door. This came as no surprise as a key target for thieves and can even provide an access point to the entire room.

Reliability was also a priority, and one that can only be achieved through years of experience, a high level of technical expertise and unrivalled build quality.

This resulted in the Roller Garage Door, barriers designed to protect one of the most vulnerable parts of the home. Each door is made to order in the UK using the highest specification components.

They ensure owners can enjoy years of problem-free use. All doors are fully insulated with remote control operation and state-of-the-art safety and security features as standard.

Indupart products are CE marked in accordance with European guidelines and quality assured to ISO 9001:2015.



Door Options

Classic

Our best selling door. If your requirements are typical of most garage scenarios, the Classic option, with its 77mm insulated slats, will probably be the default choice of colours with innovative features and advanced technology.



Indupart's Roller Garage Doors are made to measure and come with the following features as standard:

- Remote control operation provided by world-leading brands in home automation
- A wide choice of solid colours and painted wood effects with the option to upgrade to a wood laminate or RAL colour matched finish

Security

Indupart's Roller Garage Doors are manufactured in the UK by physical security specialists Aluroll. They have spent many years developing security shutters for the commercial sector, becoming the first choice for banks, Government buildings and other high-risk premises globally.

This unrivalled expertise has been transferred to the domestic market with this range. Each door is packed with innovative features to protect your property, from the anti-lift locking system to the high strength extruded guide channels designed to keep the curtain in place.

Guarantee

Classic and Compact Roller Garage Door parts are guaranteed for a period of 5 years subject to correct installation, operation and maintenance. Contact Indupart for a copy of the full terms and conditions. These doors are CE marked to indicate compliance with European directives and product safety standards. This shows they meet health, safety and environmental protective legislation.

Compact

Roller garage doors are renowned for their unique space-saving design. The Compact option, with its 55mm insulated slats, has been developed specifically for garages with limited headroom.



Classic 77mm slat



Compact 55mm slat

The Door

Profiles

The profiles are manufactured from twin-walled aluminium with an advanced polyurethane foam core, providing effective heat and sound insulation. There are no visible handles or locks for potential intruders to target.

Vision Option

Optional solid colour vision profiles allow natural light to enter the garage. Transparent polycarbonate infills weatherproof the openings (excludes the Compact door.)



Guides

High security extruded aluminium guide channels protect the door curtain from lateral attack. These have built-in brushes to minimise operating noise, assist smooth operation and reduce draughts.




Bottom Slat

The bottom slat is manufactured from tough extruded aluminium, with a built-in intelligent safety edge system. Sensors can detect an obstruction and communicate this to the control panel, which in turn automatically retracts the door. A flexible rubber weather strip minimises rain entering the garage.

Threshold Strip

Add that extra special finishing touch with an aluminium threshold strip (charges apply.)



Box

Each door comes with a full or half box option to keep the barrel and curtain out of reach. Typical box sizes of 205mm (Compact) and 300mm (Classic) can be achieved (subject to opening height) and may be colour matched to the rest of the door.

Anti-Lift Locking

The strong steel barrel is connected to the curtain via a patented anti-lift locking system. This prevents the curtain from being forcibly opened from below.



Safety Brake

An integrated brake is fitted to the end plate. This prevents the door from dropping in the event of motor failure and ensures compliance with safety legislation.



Teleco wired safety edge



Teleco wireless safety edge



Automation

Courtesy Light

The integrated LED light strip will automatically switch on during operation. This allows you to park your car and exit in comfort and convenience.

Intelligent Communication

The control panel effortlessly handles instructions from your controls and safety edge system. It will automatically stop the door from closing if it senses an obstruction.

Powerful Motor

The motors are sourced from market-leading home automation brands, Somfy and NRG to ensure longevity. Their compact designs fit neatly inside the barrel.

Intruder Alarm

A built-in shock sensor triggers a 98dB alarm if an attempt is made to force open the door (wireless safety edge system only.)

Holiday Mode

Lock the control panel for extra security when you are not at home. Holiday mode prevents anybody from opening the door until you unlock it with your handset.

Ambient Lighting

Add built-on ambient lighting outside your garage with the Teleco Moonlight system. These LED lights sit underneath the lintel giving a half moon effect on single and double doors.



Controls & Accessories

Handset

Simply press a button and drive straight in. Indupart doors are supplied with two four-button key fobs as standard, there is also an option to program more as required. Rolling code technology means your handset will generate a different code each time you use it, preventing criminals from gaining access.

Push Button

Don't have your key fob to hand? Operate the door using the push buttons on the control panel itself.

Manual Override

A simple winding handle allows you to open and close the door in the event of power failure.

Mobile Phone

Provide temporary access for deliveries, receive a text message when your alarm is triggered and find out the status of your door from anywhere in the world. Ask your Roller Garage Door installer for a plug-in GSM SIM card to enjoy the convenience of mobile phone operation.

Wireless Controls

Wireless wall switches or combination code keypads can be mounted inside or outside your home. Bidirectional technology makes it possible to check the status of your door at the touch of a button.

External Manual Override

A low level external override allows you to open and close the garage door manually from outside. It is operated by a simple crank handle and has a lockable cover for security.




Fixings


Flexibility with fitting your Indupart door makes it easier for your installer to find the perfect solution. Factors like your chosen product, its size, the wall concentration and how much overhead space you have affect which option is most suitable.

Internal Face Fix

The door is fitted to the inside of the garage opening. This is the most common location and allows the maximum clear drive through width and the best security.




Outside




Inside

Reveal Fix

The door is fitted within the garage opening, underneath the lintel. A reveal fix most commonly used when face fixing is not possible. It requires good headroom within the opening, but no space above it. The Compact door is ideal for this type of installation.



Outside




Inside

External Fix

When headroom does not permit internal installation, doors can be fitted to the external face. This means the box is visible outside the garage and the concave face of the door curtain slats face outwards.




Outside



Inside


Curtain Marking

Please note that due to the rolling action of the door, surface marking may be caused by security locks and debris. This does not constitute a product fault and performance is not affected in any way.



Colour Options

Classic and Elite garage doors can be powder coated any RAL / BS colour for an additional charge. Complete door powder coating includes matching box and guides.

 Colour not available for Compact Door

Standard Colours

Solid colour roller garage doors available with matching box and guides as standard, or traditional white or brown. Painted wood effect doors supplied with brown box and guides as standard.

01. White

02. Black
RAL 9005

03. Grey
RAL 7038

04. Silver
RAL 9006

05. Graphite
RAL 7024

06. Anthracite
RAL 7016

07. Fir Green
RAL 6009

08. Chartwell Green

09. Moss Green
RAL 6005

10. Beige
BS 08B17

11. Ivory
RAL 1015

12. Cream White
RAL 9001

13. Duck Egg Blue

14. Blue
RAL 5011

15. Red
RAL 3004

16. Velvet Brown
RAL 8014






17. Brown
RAL 8019

18. Painted Irish Oak

19. Painted Golden Oak

20. Painted Rosewood

21. Painted Walnut



Wood Laminate Finishes

Please add 15% surcharge to roller garage door prices for wood laminate effects. The laminate finish applies to one side only and is only suitable for internal face fits. Supplied with brown box and guides as standard.

01. Laminate Irish Oak

02. Laminate Golden Oak

03. Laminate Mahogany

04. Laminate Irish Oak



Please note: The colours reproduced here are offered as guide only, because of differences in the printing process. It is possible that the finished product may be slightly different from those illustrated on this document. Please contact your nearest Indupart sales office for an accurate guide.